


We claim:

1. Soil-applied CR granules obtainable by applying an active-ingredient-comprising coating to a solid carrier in a fluidized bed with a defined heat input adjustable to 6000 to 25,000 KJ/KG [sic] of coating polymer.
2. Soil-applied CR granules as claimed in claim 1 with an active-ingredient-comprising coating of
- 0.1-25% by weight of one or more active ingredients
1-40% by weight of one or more coating polymers
0-60% by weight of one or more additives,
- the total of the % by weight of the compounds in the coating being 100% by weight.
3. Soil-applied CR granules as claimed in claim 2 comprising, as coating polymer, a dispersion from amongst the following groups: butyl acrylate/styrene copolymers, copolymer dispersions of acrylic and methacrylic esters, polyethylene wax emulsions, polyesters composed of the following units: 50 mol% dimethyl terephthalate + approx. 50 mol% adipic acid + 150 mol% 1,4-butanediol + trace elements, mixture of 10-95% polyvinyl acetate + 5-90% n-vinylpyrrolidone-comprising [sic] polymers, ethylene/methacrylic acid zinc salt.
4. Soil-applied CR granules as claimed in claim 3 comprising, as coating polymer, at least one from amongst the group of the biodegradable polyesters.
5. Soil-applied CR granules as claimed in claim 1 comprising, as active ingredient, at least one fungicidal compound of the formula I from amongst the class of the strobilurins.



in which the substituents have the following meanings:

A is NOCH₃, CHOCH₃, CHCH₃;

Y is O, NH;

T is oxygen or oxymethylene;

5 Z is a group X, $N=C(R^1)W$ or $N=C(R^1)-C(R^2)=NOR^3$;

X is unsubstituted or substituted heterocyclyl, unsubstituted or substituted aryl, unsubstituted or substituted hetaryl;

10

W is unsubstituted or substituted alkyl, unsubstituted or substituted alkenyl, unsubstituted or substituted alkynyl, unsubstituted or substituted cycloalkyl, unsubstituted or substituted cycloalkenyl, unsubstituted or substituted heterocyclyl, unsubstituted or substituted aryl or unsubstituted or substituted hetaryl;

15

R¹ is hydrogen, cyano, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₃-C₆-cycloalkyl;

20

R² is hydrogen, cyano, halogen, $C(R^d)=NOR^3$ or W, OW, SW or NR^cW, where

R^c is hydrogen, alkyl, alkenyl or alkynyl;

25

R^d is hydrogen or alkyl;

R³ is hydrogen, unsubstituted or substituted alkyl, unsubstituted or substituted alkenyl or unsubstituted or substituted alkynyl,

30

or a salt thereof.

6. Soil-applied CR granules as claimed in any one of claims 1-5, comprising an active ingredient from the group of the systemically acting strobilurins, the azoles or the salicylates.

35

Soil-applied CR granules as claimed in any of claims 1-5, comprising, as active ingredient, 5-methyl [sic] benzo[1,2,3]thiadiazole-7-carbothioate.

40

8. Soil-applied CR granules as claimed in claim 1, comprising, as carrier, water-soluble, water-insoluble or biodegradable granules.

45

00762044 020101

Sub
31
cont

Sub
A3
40

Sub
31
cont

61

9. A process for the preparation of soil-applied CR granules as claimed in any one of claims 1-8, which comprises applying, to a carrier, first the active ingredient and then the coating comprising at least one coating polymer and, if appropriate additives in a fluidized bed, micropores being generated in the coating by abrasion or by the directed addition of water-soluble additives (lime, starch).
10. A method for controlling phytopathogenic fungi, undesired vegetation, undesired attack by insects and/or for regulating the growth of plants, which comprises allowing Soil-applied CR granules as claimed in any one of claims 1 to 9 to act on plants, their environment or on seed.
11. The use of the soil-applied CR granules as claimed in any one of claims 1-8 or obtained as claimed in claims 9 and 10 for controlling phytopathogenic fungi, undesired vegetation, undesired attack by insects and/or for regulating the growth of plants.

Add
B2

09762044-020101